



G6 Laser

A Proud
Member Of



My G6 Laser Makes Hollowing Easy!

My G6 Laser Pointer Thickness Gauge features:

- **Rock solid steady!**
No tools needed!
- **Easy to adjust!**
No stupid big bulky laser pen pointer hanging at the end of pipe.
- **Light weight!**
No stupid little round batteries that are hard to find and expensive!
- **Powered by 3 good old fashion AAA batteries!**
None of those of stupid little round batteries that are hard to find and expensive!
- **Easy on/off switch!**
No silly little button you have to hold on with a rubber band.
- **Works on any tool!**
Can be used with free hand hollowing tools (Ellsworth, Munro, Jordan, Bosch, Pencil, Kelton, Hunter, Berger, Easy Wood, Eliminator, Sorby, Hamlet, Woodcut, etc) or captured bar hollowing tools (Jamieson, Elbo, etc).



See pictures and details below or ~~Click Here for a nice printable PDF brochure.~~

For Sale

G6 Lasers are \$175 each. **Free shipping!**

Yea, the price may seem a little steep for something it looks like you could build yourself. But, by the time you gather all of the parts, pay shipping changes, put things together, etc. It adds up!

And looks can be deceiving! Not all of the parts are off the self items like they may appear in photos. I modify some of them on my metal lathe. Lasers are hard to buy in small quantities and the shipping charges will kill you. Then soldering the tiny wires on the lasers requires quite a bit of skill. I have assembled a lot of lasers, and it still takes me 2-3 hours per laser. Time is money!

The \$175 price includes all 3 mounting options shown in photos below. *(Note: It does not include the drill the tap shown in photos.)*

How to Order


If you want to order a G6 Laser please do the following:

- Send an e-mail with your **Name** and **Shipping Address** and **Type Of Handle** for Collar Size (Oneway is 34mm all others are 1-1/4") to [Carl Ford \(laser@carlford.info\)](mailto:Carl Ford (laser@carlford.info))
- I will send you back a Paypal Invoice via e-mail for \$175 with estimated shipping date.
- **When you receive the invoice.** Verify the price and address. Then pay for it via Paypal or Credit Card.
- I will ship your new G6 Laser when I receive payment from PayPal.

G6 Laser Pointer Thickness Gauge


The laser shows you exactly where the cutter is inside of the hollow form by projecting a light on the outside of the turning.

Length Adjusts from 6.5" to 11"
Height is 8"



- Easy length adjustment. Loosen nut and slide arm in or out.

- Height can be adjusted by replacing standard 1/4" NPT pipe nipple with one from local hardware store.



- Small lightweight rock solid laser module.
- Rock solid 1/2" hard temper copper tubing.
- Easy On/Off slide switch.
- Battery Pack with 3 easy to replace standard AAA batteries. Good for 120 hours of operation.
- Easy to replace break away PVC pipe fitting for safety. (If tool catches and spins handle the laser will break off.)

• 3 mounting methods. See next page

3 Mounting Options

Mount flat or square bar in handle and hold in vise to create hole that is perpendicular to grub screws.

Threaded Mount

Drill 25/64" hole
Tap 7/16" by 20 NF threads




Standard 7/16" by 20 NF TAP
from local hardware store



Shaft Collar Mount

1-1/4" Collar for Hosaluk Handles
34 mm Collar for Oneway Handles



Universal Mount

I-Beam
Clamp

